

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	802	(@AD<"20030731" or @RLAD<"20030731") and (server or manager or controller or automatic\$4) adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail or email) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 07:01
L2	49	L1 and (check\$3 or determin\$3 or detect\$3) with (valid or unique) near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 07:01
L4	911	(@AD<"20030731" or @RLAD<"20030731") and (server or manager or controller or automatic\$4) adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail or email) adj3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 07:05
L7	1178	(@AD<"20030731" or @RLAD<"20030731") and (computer or processor or server or manager or controller or automatic\$4) adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail or email) adj3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 10:15
L8	66	7 and (check\$3 or determin\$3 or detect\$3) with (valid or unique) near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 09:34
L9	17	8 not 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 07:31
L10	6	7 and (verify) with (valid or unique or invalid) near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 09:34
L11	10	7 and (check\$3 or determin\$3 or detect\$3) with (invalid) near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 10:18

EAST Search History

L12	14	10 or 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 09:35
L13	353	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail or email) adj3 address with (user or client or employee).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 11:52
L14	40	(@AD<"20030731" or @RLAD<"20030731") and (automatic\$4) adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail or email) adj3 address with (user or client or customer).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 10:17
L15	49	(@AD<"20030731" or @RLAD<"20030731") and (automatic\$4) with (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail or email) adj3 address with (user or client or customer).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 10:58
L16	2	15 and (check\$3 or determin\$3 or detect\$3 or verify) with (invalid or valid) near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 10:59
L17	2	("6987985").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/28 10:53
L18	2	("6897985").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/28 10:53
L19	8	13 and (check\$3 or determin\$3 or detect\$3 or verify) with (invalid or valid\$3 or unique or uniqueness) near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:09
L20	15	(@AD<"20030731" or @RLAD<"20030731") and (suggest\$3 or recommend\$3) with (electronic or mail or email) adj3 address with (user or client or employee).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 11:44

EAST Search History

L21	361	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail or email) adj3 (name or address) with (user or client or employee).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 11:57
L22	8	21 not 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 11:53
L23	366	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email) adj3 (name or address) with (user or client or employee).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:04
L24	5	23 not 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 11:57
L25	2524	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email) adj3 (name or address) with (user or client or employee)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:04
L26	2365	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email) adj3 (name or address) near10 (user or client or employee or staff or worker or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 14:44
L27	14	26 and (mail or email or electronic) adj3 (address or name) near10 (compliant or comply or complying or accord\$4 or correspond\$3 or based) adj5 (format or standard or rule or criteri\$2 or convention)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 17:32
L28	33	26 and (check\$3 or determin\$3 or detect\$3 or verify) with (invalid or valid\$3 or unique or uniqueness) near5 (electronic or mail or email) adj3 (name or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:51
L29	0	27 and 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:10

EAST Search History

L30	0	(@AD<"20030731" or @RLAD<"20030731") and automatically adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email) adj3 (name or address) near10 ("to" or "for") adj5 (user or client or employee or staff or worker or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:50
L31	0	automatically adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email) adj3 (name or address) near10 ("to" or "for") adj5 (user or client or employee or staff or worker or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:50
L32	143	(@AD<"20030731" or @RLAD<"20030731") and automatically adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email) adj3 (name or address) near10 (user or client or employee or staff or worker or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:50
L33	50	(@AD<"20030731" or @RLAD<"20030731") and automatically adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email) adj3 (name or address) adj5 (user or client or employee or staff or worker or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:50
L34	5	33 and (check\$3 or determin\$3 or detect\$3 or verify) with (invalid or valid\$3 or unique or uniqueness) near5 (name or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 17:00
L35	7434	DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 14:15
L36	0	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email or IP) adj3 (name or address) near10 (user or client or employee or staff or worker or customer) same (iterat\$3 or iteratively) with (progam or routine or script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 14:58

EAST Search History

L37	12	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email or IP or internet adj protocol) adj3 (name or address) near10 (user or client or employee or staff or worker or customer) same (iterat\$3 or iteratively or plurality or multiple or second or alternative) with (progam or routine or script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 14:59
L38	13	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email or IP or internet adj protocol) adj3 (name or address) with (user or client or employee or staff or worker or customer) same (iterat\$3 or iteratively or plurality or multiple or second or alternative) with (progam or routine or script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 15:15
L39	3	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email or IP or internet adj protocol) adj3 (name or address) with (user or client or employee or staff or worker or customer) and (iterat\$3 or iteratively or plurality or multiple or second or alternative) with (progam or routine or script) with (determin\$3 or check\$3 or verify\$3) near20 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 16:59
L40	3	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email or IP or internet adj protocol) adj3 (name or address) with (user or client or employee or staff or worker or customer or node) and (iterat\$3 or iteratively or plurality or multiple or second or alternative) with (progam or routine or script) with (determin\$3 or check\$3 or verify\$3) near20 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 16:58

EAST Search History

L41	3	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email or IP or internet adj protocol) adj3 (name or address) with (user or client or employee or staff or worker or customer or node) and (iterat\$3 or iteratively or plurality or multiple or second or alternative) with (program or routine or script) with (determin\$3 or check\$3 or verify\$3 or validat\$3) near20 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 16:59
L42	57	(@AD<"20030731" or @RLAD<"20030731") and (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail\$3 or email or IP or internet adj protocol) adj3 (name or address) with (user or client or employee or staff or worker or customer) and (iterat\$3 or iteratively or plurality or multiple or second or alternative or different) with (program or routine or script or code) with (determin\$3 or check\$3 or verify\$3) near20 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 17:00
L43	4	42 and (check\$3 or determin\$3 or detect\$3 or verify) with (invalid or valid\$3 or unique or uniqueness) near5 (name or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 17:01
L44	6	42 and (check\$3 or determin\$3 or detect\$3 or verify\$3 or validat\$3) with (invalid or valid\$3 or unique or uniqueness) near5 (name or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 17:01
L45	4	((("5,966,714") or ("6,161,129")).PN. or (2002/0032740).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/28 17:47
L46	6	((("20020032740") or ("5,966,714") or ("6,161,129")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/28 17:47
S1	113	(@AD<"20030731" or @RLAD<"20030731") and automatic\$4 with assign\$4 with (mail or email) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 16:46

EAST Search History

S2	14	S1 and automatic\$4 with assign\$4 with (mail or email) adj address.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 13:32
S3	14	S1 and script and unique near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 11:18
S4	0	S2 and script and unique near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 11:32
S5	407	(@AD<"20030731" or @RLAD<"20030731") and automatic\$4 with (creat\$3 or produc\$3 or generat\$3) with (mail or email) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 13:51
S6	5	S5 and automatic\$4 with assign\$4 with (mail or email) adj address.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 13:49
S8	91	S5 and automatic\$4 with (creat\$3 or produc\$3 or generat\$3 or assign\$4) with (mail or email) adj address.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 11:32
S9	2	S8 and script and unique near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 13:52
S10	11	S8 and unique near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 11:49
S11	3	S8 and script	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 13:51
S12	451	(@AD<"20030731" or @RLAD<"20030731") and (server or controller or manager) adj7 (creat\$3 or produc\$3 or generat\$3) with (mail or email) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 13:52

EAST Search History

S13	47	S12 and script and unique near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 16:48
S14	5	S13 and valid\$5 near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 13:53
S15	802	(@AD<"20030731" or @RLAD<"20030731") and (server or manager or controller or automatic\$4) adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail or email) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 16:47
S16	802	(@AD<"20030731" or @RLAD<"20030731") and (server or manager or controller or automatic\$4) adj10 (generat\$3 or creat\$3 or produce or producing or assign\$4) with (electronic or mail or email) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 22:26
S17	49	S16 and (check\$3 or determin\$3 or detect\$3) with (valid or unique) near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 06:51